





2020-2
PRODUCT CATALOGUE



The temperature of **<** water is under your control > Thermostatic



TESKA has been manufacturing high quality piece of Bathroom sanitary ware stuffs and valves products since 2005. Company headquarters moved to istanbul in 2012

The factory occupies vastly in ISTANBUL over 3.000 m² and in Adana 1.000 m² space area of strategic land in the central plain where plenteous raw materials and skilled labor accessibility are obtainable.literally employs over 60 persons composing of highly skilled craftsmanship, technicians, engineers and administrative office staffs. finest design, world class quality, supply consistency and impressive service to customer both domestically and internationally.

Our company has many patented the production of quality products so that the industry has found its place in the industry today. With the product design and technology developed entirely by giving impetus to the sector in recent years with products of their own production, industry products has brought a new perspective.

All the production and management staff works are performed with a team spirit and develops its technological investments, Our company that owns the certificate of ISO 9001:14001:18001, CE, WRASS & GOST R that is under the confirmation Quality Guarantee System conditions.







































PVD TECHNOLOGY



PVD coating is optional and it is applied with extra fee



What is PVD Coating?



Physical Vapor Deposition (PVD) is a high-tech coating application, used to manufacture high-end consumer products, jewelry and medical products. The PVD coatings are hard, thin film coatings, deposited in a vacuum chamber from a physical source, as opposed to a chemical one. The coating process is performed by Sputtering, where atomized material from a solid target is transferred to the product by energetic bombardment of its surface layers by ions or neutral particles. Magnetron sputtering is an extremely flexible coating technique that can be used to coat virtually any material.

Sputtering is an extremely flexible coating technique that can be used to coat virtually any material.

Advantages PVD coating with other coating systems

- > 50% more corrosion protection than standard coatings
- much harder surface, much softer touch feeling
- Resistance to salt test 300 hours (200 hours European Standart)
- > Extra strength to chemicals
- > Long-lasting non-fading colors
- High resistance to sudden temperature changes
- > 100% environmental management according to coating method











COLD BODY®



Using Teska cold body technology prevents the surfaces of our products from heating up to prevent the danger of burning.

All of Teska thermo smart thermostatic batteries feature innovative Teska technology creates a barrier between hot water and the exterior.

Teska cold body technology is especially valuable for children who do not properly assess what they should touch and should not touch.



TERMO SMART®

What is Thermostatic shower mixer?

The thermostatic mixer maintains an exact water temperature for the duration of your shower. It protects you from any sudden changes in the water supply to the shower, so even if somebody flushes the toilet or turns on the kitchen tap the temperature of your shower will remain the same.

It is known that the washing water at 65 °C can cause third-degree skin burns (requiring medical intervention and skin plantation in the hospital) in very sensitive skin in a short period of time such as 30 salicas that it can cause. Especially children under the age of four and older people are more vulnerable to the risk of scalding in hot water because their skin is thinner than that of young and adult people. Research shows that 24% of cases of skin burns in children are caused by excessive hot water contact.

The thermostatic valve mixes the hot and cold water to your pre-selected temperature and reacts instantly to any changes in the pressure or temperature of the water supply by re-adjusting the mix of hot and cold water. If there is be a failure in your cold water supply, the thermostatic valve will automatically shut down.

What are the benefits Thermostatic shower Mixer?

- Water temperature remains constant for the duration of your shower, so there's no risk of scalding from a sudden temperature increase and no surprising shocks should the temperature plummet. Technology ensures the outer surface is never too hot to touch.
- Teska thermostatic mixers will maintain your pre-selected water temperature, leaving you to relax and enjoy your shower. Should you wish to stop the water (e.g. to shampoo your hair), the thermostat will automatically find the exact same temperature when you re-start the flow.
- Water temperature remains constant for the duration of your shower, so there's no risk of scalding from a sudden temperature increase and no surprising shocks should the temperature plummet.

Install a thermostatic mixer and you can save water and energy too.







SMART FLEX®




First time in Turkey %100 Made in Turkey,









SMART FLEX

PVC material high quality shower hose

Hose Explosion-proof Replacement 360° Swivel freedom of movement and a comfortable shower

Shower hose is 160 cm, which is long enough

Pleasant to the touch, in smooth plastic convenient to clean. Facilitates installation, no need for a tool

Resistant to tensile strength due to strong body structure





Cascade Flow Regulation

The best water saving.Limescale stream quality longer



Locking Collar Diverter

Continues to operate even at very low pressures (0,5 bar) due to its structural properties.



European Origin Ceramic Cartridges

The internal structure of the ceramic material is of good quality, durable and long life.



Chrome Coating

New High technology coatings extra brightness



Silicone Water Nozzles

For head showers silicone nozzles makes anti limescale, easy cleanable.



Water Saving

With a prevent splash aerator water consumption is reduced by up to 50%.



Quick Assembly

TESKA Quick assembly patented, saves time and size availability & no necessary cutting.



Key Touch

For head shower, hand shower and taps available diverter push on of button



Height Adjustment

Patented assembly no need to cut height and structure adjustment



Tempered Glass

European origin tempered glass



Thermostatic Cartridge

Perfect sensitive heat adjustment





WHY TESKA	5
PVD TECHNOLOGY	6-7
COLD BODY	8-9
TERMO SMART	10-11
SMART FLEX	12-13

SHOWER COLUMNS	
Mira Thermostatic Three Way	17
Mira Mix Three Way White - Black	19
Mira Thermostatic Two Way	21
Mira Mix Two Way White-Black	23
Galaxy Thermostatic Three Way	25
Devon Thermostatic Two Way	27
Galaxy Mix Three Way	29
Devon Mix Two Way	31
Niagara Three Way	33

35
37
39

BRASS BODY CONCEALED BATHROOM BATTERIES Lande Three way 43 Teona Two Way 45

PPR-C BODY CONCEALED BA BATTERIES	ATHROOM
Life	49
0	F-4

Omega	51
Ciera	53
Quasar Washbasin Battery	55
Tenedos	57
Agora	59
Sardes	61
Alinda	63
Misis Shower Set	65

ANKASTRE BATHROOM BATTERY

Brass Body - Thermostatic Bathroon	n
Batteries	66-67
PPR-C BODY - Concealed	
Bathroom Batteries	68-73

SHUT OFF	
Pulito Shut Off	75
Touch Shut Off	77
Elsa - Glazed Concealed Shut Off	79
Alia - Chrome Hang Shut Off	80
Ares - Chrome Shut Off	81
Brass Shut Off and Hoses	81

ADJUSTABLE SHOWER SYSTEMS	83
SHOWER SETS WITH JUNCTURE A HAND SHOWER	ND 85
HEAD SHOWERS	86
HOSES	87
BATTERY INSTALLATION	

VALVES AND DIVERTERS	
Push & Pull Valve	90
Luxury Boxed Ball Walve	90
Luxury Round Model	91
Luxury Square Model	91
Luxury Plas Model	92
Round Luxury Economic Model	92

ACCESSORIES

Lanary Bonoa Ban Warro	00
Luxury Round Model	91
Luxury Square Model	91
Luxury Plas Model	92
Round Luxury Economic Model	92
Mega Luxury Valve	93
Extra Luxury	93
Luxury Adjustable Ball Valve Set	94
Spare Parts	95

The company has the right to change the product content and visuals without notice

46-47

88-89



MİRA THERMOSTATIC THREE WAY SHOWER COLUMN





Mira Thermostatic White



Mira Thermostatic Black
















SET CONTENT - DK3601C

- 1 piece mira thermostatic white glass bathroom battery
- 1 piece 250x250 mm head shower
- 1 piece hand shower
- 1 piece smart flex shower hose
- 1 piece 25x1 mm shower pipe
- 1 piece installation adjustment set



COMMON SPESIFICATIONS

- · Mira thermostatic bathroom battery
- · 25x1 mm shower pipe
- · Tempered european extra anti scratch glass
- Europe origin thermostatic cartridge
- · Europe origin diverter
- Neopearl Aerator
- · Head shower water flux rate: 15 lt/minute
- · Hand shower water flux rate: 6lt/minute
- Exit nozzle water flux rate: 9,85 lt/minute
- · Air mixing flow system prevents splash
- Head shower with juncture (right / left)
- Telescopic height adjustable shower pipe (up-down)

SET CONTENT - DK3602C

- 1 piece mira thermostatic black glass bathroom battery
- · 1 piece 250x250 mm head shower
- · 1 piece hand shower
- 1 piece smart flex shower hose
- 1 piece brass (MS63 shower pipe)
- 1 piece 25x1 mm shower pipe
- · 1 piece installation adjustment set








Mira Mix White



SET CONTENT - DK3701C

- 1 piece mira mix white glass bathroom battery
- 1 piece 250x250 mm head shower
- 1 piece hand shower
- 1 piece smart flex shower hose
- 1 piece 25x1 mm shower pipe
- 1 piece installation adjustment set



Mira Mix Black



COMMON SPESIFICATIONS

- · Mira mix bathroom battery
- 1 piece 25x1 mm shower pipe
- Tempered european extra anti scratch glass
- · Europe origin mix cartridge
- Europe origin diverter
- Neopearl Aerator
- Head shower water flux rate: 15 lt/minute
- Hand shower water flux rate: 6lt/minute
- Exit nozzle water flux rate: 9,85 lt/minute
- · Air mixing flow system prevents splash
- Head shower with juncture (right / left)
- Telescopic height adjustable shower pipe (up-down)

SET CONTENT - DK3702C

- 1 piece mira mix black glass bathroom battery
- 1 piece 250x250 mm head shower
- 1 piece hand shower
- 1 piece smart flex shower hose
- 1 piece 25x1 mm shower pipe
- 1 piece installation adjustment set













MİRA THERMOSTATIC TWO WAY SHOWER COLUMN





Mira Termostatik White



Mira Termostatik Black












SET CONTENT - DK2920C

- 1 piece mira thermostatic white glass shower battery
- 1 piece 250x250 mm head shower
- 1 piece hand shower
- 1 piece smart flex shower hose
- 1 piece 25x1 mm shower pipe
- 1 piece installation adjustment set



COMMON SPESIFICATIONS

- · Mira thermostatic shower battery
- 1 piece 25x1 mm shower pipe
- Tempered european extra anti scratch glass
- Europe origin thermostatic cartridge
- · Europe origin diverter
- Head shower water flux rate: 15 lt/minute
- Hand shower water flux rate: 6lt/minute
- Head shower with juncture (right / left)
- Telescopic height adjustable shower pipe (up-down)

SET CONTENT - DK2921C

- 1 piece mira thermostatic black glass shower battery
- 1 piece 250x 250 mm head shower
- 1 piece hand shower
- 1 piece smart flex shower hose
- 1 piece 25x1 mm shower pipe
- 1 piece installation adjustment set







Mira Mix White



Mira Mix Black














SET CONTENT - DK2922C

- 1 piece mira mix white glass bathroom battery
- 1 piece 250x250 mm head shower
- 1 piece hand shower
- 1 piece smart flex shower hose
- 1 piece 25x1 mm shower pipe
- · 1 piece installation adjustment set



COMMON SPESIFICATIONS

- Mira mix shower battery
- 1 piece 25x1 mm shower pipe
- Tempered european extra anti scratch glass
- Europe origin mix cartridge
- Europe origin diverter
- Head shower water flux rate: 15 lt /minute
- Hand shower water flux rate: 6 lt/minute
- Head shower with juncture (right / left)
- Telescopic height adjustable shower pipe (up-down)

SET CONTENT - DK2923C

- 1 piece mira mix black glass shower battery
- 1 piece 250x250 mm head shower
- 1 piece hand shower
- 1 piece smart flex shower hose
- 1 piece 25x1 mm shower pipe
- 1 piece installation adjustment set







Thermo Smart Square Three Way Shower Column




Thermo Smart Round Three Way Shower Column



SET CONTENT - DK3101C

- 1 piece thermo smart bathroom battery
- 1 piece 250x250 mm head shower
- 1 piece hand shower
- 1 piece smart flex 360° turning shower hose
- 1 piece 25x1 mm shower pipe



COMMON SPESIFICATIONS

- Thermo smart thermostatic bathroom battery
- 1 piece 25x1 mm shower pipe
- Air mixing flow system prevents splash
- 360° movable smart flex shower hose
- Head shower water flux rate: 15 lt /minute (Square)
- Head shower water flux rate: 13,5 lt /minute (Round)
- Hand shower water flux rate: 6 lt/minute
- Exit nozzle water flux rate 9,85 lt/minute
- Telescopic height adjustable shower pipe (up-down)
- Head shower with juncture (right / left)

SET CONTENT - DK3201C

- 1 piece thermo smart bathroom battery
- 1 piece 250 mm head shower
- 1 piece hand shower
- 1 piece smart flex 360° turning shower hose
- 1 piece 25x1 mm shower pipe

Note: Product's picture might be different than a product to be sold













DEVON THERMOSTATIC TWO WAY SHOWER COLUMN






Thermo Smart Square Two Way Shower Column



SET CONTENT - DK2102C

- 1 piece thermo smart shower battery
- 1 piece 250x250 mm head shower
- 1 piece hand shower
- 1 piece smart flex 360° turning shower hose
- 1 piece 25x1 mm shower pipe



Thermo Smart Round Two Way Shower Column



COMMON SPESIFICATIONS

- Thermo smart thermostatic shower battery
- 1 piece 25x1 mm shower pipe
- 360° movable smart flex shower hose
- Head shower water flux rate: 15 lt /minute (Square)
- Head shower water flux rate: 13,5 lt /minute (Round)
- Hand shower water flux rate: 6 lt/minute
- Telescopic height adjustable shower pipe (up-down)
- Head shower with juncture (right / left)

SET CONTENT - DK2202C

- 1 piece thermo smart shower battery
- 1 piece 250 mm head shower
- 1 piece hand shower
- 1 piece smart flex 360° turning shower hose
- 1 piece 25x1 mm shower pipe









Note: Product's picture might be different than a product to be sold







Mix Smart Square Three Way Shower Column




Mix Smart Round Three Way Shower Column



SET CONTENT - DK3301C

- 1 piece mix smart bathroom battery
- 1 piece 250x250 mm head shower
- 1 piece hand shower
- 1 piece smart flex 360° turning shower hose
- 1 piece 25x1 mm shower pipe



COMMON SPESIFICATIONS

- · Mix smart bathroom battery
- 1 piece 25x1 mm shower pipe
- · Air mixing flow system prevents splash
- 360° movable smart flex shower hose
- Head shower water flux rate: 15 lt /minute (Square)
- Head shower water flux rate: 13,5 lt /minute (Round)
- Hand shower water flux rate: 6lt/minute
- Exit nozzle water flux rate: 9,85 lt/minute
- Telescopic height adjustable shower pipe (up-down)
- Head shower with juncture (right / left)

SET CONTENT - DK3401C

- 1 piece mix smart bathroom battery
- 1 piece 250 mm head shower
- 1 piece hand shower
- 1 piece smart flex 360° turning shower hose
- 1 piece 25x1 mm shower pipe

















Mix Smart Square Two Way Shower Column




Mix Smart Round Two Way Shower Column



SET CONTENT - DK2301C

- 1 piece mix smart shower battery
- 1 piece 250x250 mm head shower
- 1 piece hand shower
- 1 piece smart flex 360° turning shower hose
- 1 piece 25x1 mm shower pipe



COMMON SPESIFICATIONS

- · Mix smart shower battery
- 1 piece 25x1 mm shower pipe
- 360° movable smart flex shower hose
- Head shower water flux rate: 15 lt /minute (Square)
- Head shower water flux rate: 13,5 lt /minute (Round)
- · Hand shower water flux rate: 6lt/minute
- Telescopic height adjustable shower pipe (up-down)
- Head shower with juncture (right / left)

SET CONTENT - DK2401C


- 1 piece mix smart shower battery
- 1 piece 250 mm head shower
- 1 piece hand shower
- 1 piece smart flex 360° turning shower hose
- 1 piece 25x1 mm shower pipe







Niagara White Glass Shower Column





COMMON SPESIFICATIONS

- · Niagara bathroom battery
- 1 piece 25x1 mm shower pipe
- Diverter with button
- Tempered european extra anti scratch glass
- · Air mixing flow system prevents splash
- 360° movable smart flex shower hose
- Head shower water flux rate: 15 lt /minute
- Hand shower water flux rate: 6 lt/minute
- Exit nozzle water flux rate: 9,85 lt/minute
- Telescopic height adjustable shower pipe (up-down)
- Head shower with juncture (right / left)

SET CONTENT

- 1 piece niagara bathroom battery
- 1 piece 250x250 mm head shower
- 1 piece hand shower
- 1 piece smart flex shower hose
- 1 piece 25x1 mm shower pipe
- 1 piece installation adjustment set















DORIS TWO WAY SHOWER ROBOT SQUARE-ROUND





White Glass Shower Robot









Tena Square Shower Robot




Tena Round Shower Robot



SET CONTENT - DR2820C

- 1 piece body with double button diverter
- 1 piece 220x220 mm slim head shower
- 1 piece hand shower
- 1 piece smart flex shower hose
- 1 piece 25x1 mm shower pipe
- 1 piece battery connection hose (50 cm)



COMMON SPESIFICATIONS

- 25x1 mm shower pipe
- Diverter with button
- Head shower water flux rate : 12 lt /minute (Square)
- Head shower water flux rate : 11 lt /minute (Round)
- Hand shower water flux rate : 6 lt/minute
- Head shower with juncture (right / left)

SET CONTENT - DR2920C

- 1 piece body with double button diverter
- 1 piece 220 mm slim head shower
- 1 piece hand shower
- 1 piece smart flex 360° turning shower hose
- 1 piece 25x1 mm shower pipe
- 1 piece battery connection hose (50 cm)









Shower Robot Square




Shower Robot Round



SET CONTENT - DR2801C

- 1 piece diverter
- 1 piece 220x220 mm slim head shower
- 1 piece hand shower
- 1 piece smart flex 360° turning shower hose
- 1 piece 25x1 mm shower pipe
- 1 piece battery connection hose (50 cm)



COMMON SPESIFICATIONS

- 25x1 mm shower pipe
- Diverter with button
- Head shower water flux rate : 12 lt /minute (Square)
- Head shower water flux rate : 11 lt /minute (Round)
- Hand shower water flux rate : 6 lt/minute

SET CONTENT - DR2901C

- 1 piece diverter
- 1 piece 220 mm slim head shower
- 1 piece hand shower
- 1 piece smart flex 360° turning shower hose
- 1 piece 25x1 mm shower pipe
- 1 piece battery connection hose (50 cm)









LANDE CONCEALED THREE WAY BATHROOM BATTERY



BRASS BODY

















Chrome Three Way
Thermostatic Bathroom Battery

White Glass Three Way Thermostatic Bathroom Battery

T 4010B

Black Glass Three Way
Thermostatic Bathroom Battery

6.0


T 4020S


SET CONTENT - T 4000C / T 4010B / T 4020S

- 1 piece concealed thermostatic three way bathroom battery (TAC 4000 - TAB 4010 - TAS 4020)
- 1 piece 250x250 mm square head shower
- 1 piece hand shower
- 1 piece smart flex 360° turning shower hose
- 1 piece square hang bracket
- 1 piece square brass flat spout
- 1 piece 40 cm head shower pipe

COMMON SPESIFICATIONS

- · Brass body
- 304 quality stainless steel ,extra slim mirror (T4000C)
- Tempered european extra clear mirror (T4010B-T4020S)
- Easy usage by help of flat panel
- · Europe origin termostatic cartridge
- · Europe origin diverter
- Neopel valve
- Head shower water flux rate : 15 lt /minute
- Hand shower water flux rate : 6 lt/minute
- Exit side free flow
- · Air mixing flow system prevents splash
- Mirror protects again dirt (T4010B T4020S)






















TEONA CONCEALED TWO WAY BATHROOM BATTERY

















Chrome Two Way Thermostatic Bathroom Battery

White Glass Two Way **Thermostatic Bathroom Battery**

Black Glass Two Way Thermostatic Bathroom Battery


SET CONTENT - T 4100 C / T 4110 B / T 4120 S

• 1 piece concealed thermostatic three way bathroom battery (TAC 4100 - TAB 4110 - TAS 4120)


- 1 piece 250x250 mm square head shower
- 1 piece hand shower
- 1 piece smart flex 360° turning shower hose
- 1 piece square hang bracket
- 1 piece 40cm head shower

COMMON SPESIFICATIONS

- · Brass body
- 304 quality stainless steel ,extra slim mirror (T4100C)
- · Tempered european extra clear mirror (T4110B-T4120S)
- · Europe origin termostatic cartridge
- · Europe origin diverter
- Neopel valve
- Head shower water flux rate : 15 lt /minute
- Hand shower water flux rate : 6 lt/minute
- · Mirror protects again dirt (T4110B T4120S)



110


















WHAT IS THE MEANING OF PPR-C?




PPR-C (Polypropylene Random Copolymer) Standards indispensable solution for today's indoor cold and hot water piping systems has advantages such as its lightweight and smoothness, smooth and bright internal surfaces, calcification and rust-free, hygienic, easy to assembly and takes the place of galvanized pipes. Used in any kind of indoor hot and cold water pipe systems,

Moreover, it can be color and provides feature on protect odor and taste on fluid. With the favorable pressure and heat, the lifetime of PPR Pipe and fittings may be more than 50 year.

Raw material creates random chain and takes under protection.

And it is deny to production of any biological material on PPR Pipe and fittings. manufactured according to standards (ISO15847-1:2013)





5) Since no shaving is required for composite pipes,

it enables fast assembly opportunity.

6) Has smooth and bright internal surfaces,

Heat and sound insulation
7) No assembly loss %70 saving

8) Environment-friendly.



LIFE CONCEALED THREE WAY BATHROOM BATTERY





PPR-C BODY













AS 3110

Life White Glass Three Way
Flat Thermostatic Bathroom Battery

AS 3100W

Life Black Glass Three Way Flat Thermostatic Bathroom Battery

AS 3100B

SET CONTENT - AS 3110 / AS 3100W / AS 3100B


- 1 piece G 2500 3 Function Control Panel with Mirror
- 1 piece AKS 3000 40 cm head shower pipe


Enjoy Chrome Three Way Flat Thermostatic Bathroom Battery

- 1 piece AKS 4000 220x360 mm head shower
- 1 piece AKS 5200 hand shower
- 1 piece BTK 6920 smart flex 360° turning shower hose
- 1 piece AKS 2000 square hang brass bracket

SPESIFICATIONS

- · Easy usage by help of flat panel
- · Minimal wiev by help of integrated hand shower
- Tempered European extra clear mirror
- Interior set has 25 year guaranteed PP-R body
- · Air mixing flow system prevents splash
- Suitable for different bathtub shapes by help of minimal design
- Head shower water flux rate : 15 lt /minute
- Hand shower water flux rate : 6 lt/minute
- · Exit side free flow
- · Low labor expense and long lasting






















OMEGA CONCEALED THREE WAY BATHROOM BATTERY





PPR-C BODY













Amos Chrome Three Way
Concealed Oval Bathroom Battery

Omega White Glass Three Way Concealed Oval Bathroom Battery


Omega Black Glass Three Way Concealed Oval Bathroom Battery


SET CONTENT - AS 3400 / AS 3200W / AS 3200B

- 1 piece G 2100 three function control panel with mirror
- 1 piece AKS 3000 40 cm
- 1 piece AKS 4020 250 mm head shower
- 1 piece AKS 5200 hand shower
- 1 piece BTK 6920 smart flex 360° turning shower hose
- 1 piece AKS 1020 brass round spout
- 1 piece AKS 2010 round hang brass bracket

SPESIFICATIONS

- · Tempered European extra clear mirror
- Interior set has 25 year guaranteed PP-R body
- Air mixing flow system prevents splash
- Suitable for different bathtub shapes by help of minimal design
- Head shower water flux rate : 13,5 lt /minute
- Hand shower water flux rate : 6 lt/minute
- · Exit side free flow
- · Low labor expense and long lasting
- · Secret installation screw























CIERA CONCEALED THREE WAY BATHROOM BATTERY





PPR-C BODY













Simena Chrome Three Way
Concealed Bathroom Battery

Ciera White Glass Three Way Concealed Bathroom Battery


Ciera Black Glass Three Way Concealed Bathroom Battery


SET CONTENT - AS 3500 / AS 3300W / AS 3300B

- 1 piece G 2200 three function control panel with mirror
- 1 piece AKS 1000 brass square spout
- 1 piece AKS 2000 square hang brass bracket
- 1 piece AKS 3000 40 cm head shower pipe
- 1 piece AKS 4010 250x250 mm head shower
- 1 piece AKS 5200 hand shower
- 1 piece BTK 6920 smart flex 360° turning shower hose

SPESIFICATIONS

- · Tempered European extra clear mirror
- · Interior set has 25 year guaranteed PP-R body
- · Air mixing flow system prevents splash
- Suitable for different bathtub shapes by help of minimal design
- Head shower water flux rate : 15 lt /minute
- Hand shower water flux rate : 6 lt/minute
- · Exit side free flow
- · Low labor expense and long lasting
- · Secret installation screw





PATENTED

















QUASAR CONCEALED WASHBASIN BATTERY





PPR-C BODY







E 51100

E 51000W

E 51000B


Chrome


White Glazed

Black Glazed

COMMON SPESIFICATIONS

- · Easy usage by help of flat panel
- Chrome mirror (E51100)
- Tempered European extra clear mirror (E51000W - E51000B)
- Interior set has 25 year guaranteed PP-R body
- Air mixing flow system prevents splash
- Exit nozzle water flux rate: 9,85 lt/minute
- Low labor expense and long lasting





















TENEDOS CONCEALED BATHROOM BATTERY







PPR-C BODY

Chrome Concealed Two Way Bathroom Battery Set









SET CONTENT

- 1 piece BTK 035 Bathroom battery two way with chrome miror
- 1 piece AKS 1040 round brass spout with diverter
- 1 piece AKS 3000 40 cm head shower pipe
- 1 piece AKS 4030 220 mm slim head shower
- 1 piece BTK 6920 smart flex 360° turning shower hose
- 1 piece AKS 5200 hand shower

SPESIFICATIONS

- · Interior set has 25 year guaranteed PP-R body
- · Air mixing flow system prevents splash
- Head shower water flux rate : 13,5 lt /minute
- · Hand shower water flux rate : 6 lt/minute
- Exit side free flow
- · Low labor expense and long lasting
- · Secret installation screw
























PPR-C BODY

Chrome Concealed Two Way Bathroom Battery Set









SET CONTENT

- 1 piece BTK 036 Bathroom battery two way with chrome miror
- 1 piece AKS 1030 square brass spout with diverter
- 1 piece AKS 3000 40 cm head shower pipe
- 1 piece AKS 4040 220x220 mm slim square head shower
- 1 piece BTK 6920 smart flex shower hose
- 1 piece AKS 5200 hand shower

SPESIFICATIONS

- Interior set has 25 year guaranteed PP-R body
- · Air mixing flow system prevents splash
- Head shower water flux rate : 15 lt /minute
- · Hand shower water flux rate : 6 lt/minute
- · Exit side free flow
- · Low labor expense and long lasting
- · Secret installation screw

PATENTED





















PPR-C BODY

Chrome Concealed Two Way Bathroom Battery Set









SET CONTENT

110,25

- •1 piece BTK 035 Bathroom battery two way with chrome miror
- 1 piece AKS 2010 round hang brass bracket
- 1 piece AKS 3000 40 cm head shower pipe
- 1 piece AKS 4030 220 mm slim round head shower
- 1 piece BTK 6920 spiral double clamp shower hose
- 1 piece AKS 5200 hand shower

SPESIFICATIONS

- Interior set has 25 year guaranteed PP-R body
- Head shower water flux rate : 15 lt /minute
- Hand shower water flux rate : 6 lt/minute
- · Low labor expense and long lasting
- · Secret installation screw

PATENTED














ALINDA CONCEALED BATHROOM BATTERY







PPR-C BODY

Chrome Concealed Two Way Bathroom Battery Set









SET CONTENT

- 1 piece BTK 036 bathroom battery two way with chrome miror
- 1 piece AKS 2000 square hang brass bracket
- 1 piece AKS 3000 40 cm head shower pipe
- 1 piece AKS 4040 220x220 mm slim square head shower
- 1 piece BTK 6920 spiral double clamp shower hose
- 1 piece AKS 5200 hand shower

SPESIFICATIONS

- · Interior set has 25 year guaranteed PP-R body
- Head shower water flux rate : 15 lt /minute
- Hand shower water flux rate : 6 lt/minute
- Low labor expense and long lasting
- · Secret installation screw

PATENTED




















PPR-C BODY

Concealed Shower Set









AS 1100

SET CONTENT

- 1 piece BTK 040 bathroom battery with chrome miror
- 1 piece AKS 3000 40 cm head shower pipe
- 1 piece AKS 4030 220 mm slim round head shower

SPESIFICATIONS

- Interior set has 25 year guaranteed PP-R body
- Head shower water flux rate : 15 lt /minute
- · Low labor expense and long lasting
- · Secret installation screw

PATENTED









THERMOSTATIC CONCEALED BATHROOM BATTERIES







Code	Definition	Quantity of Package	Package Size	Package Weight
TAC 4000	Brass Body - Thermostatic Chrome Three Way Concealed Bathroom Battery	6	58x54x52	23,70 Kg

* Thermostatic




Code	Definition	Quantity of Package	Package Size	Package Weight
TAB 4010	Brass Body - Thermostatic White Glazed Three Way Concealed Bathroom Battery	6	58x54x52	25,50 Kg


* Thermostatic




Code	Definition	Quantity of Package	Package Size	Package Weight
TAS 4020	Brass Body - Thermostatic Black Glazed Three Way Concealed Bathroom Battery	6	58x54x52	25,50 Kg

* Thermostatic









THERMOSTATIC CONCEALED BATHROOM BATTERIES







Code	Definition	Quantity of Package	Package Size	Package Weight
TAC 4100	Brass Body - Thermostatic Chrome Two Way Concealed Bathroom Battery	6	58x54x52	18,60 Kg

* Thermostatic




Code	Definition	Quantity of Package	Package Size	Package Weight
TAB 4110	Brass Body - Thermostatic White Glazed Two Way Concealed Bathroom Battery	6	58x54x52	20,40 Kg


* Thermostatic




Code	Definition	Quantity of Package	Package Size	Package Weight
TAS 4120	Brass Body - Thermostatic Black Glazed Two Way Concealed Bathroom Battery	6	58x54x52	20,40 Kg

* Thermostatic














Code	Definition	Quantity of Package	Package Size	Package Weight
G 2500	PPR-C Body Bathroom Concealed Shower Mixer White Glass Mirror Three Way Valve Control Board	6	58x54x52	28,65 Kg




Code	Definition	Quantity of Package	Package Size	Package Weight
S 2500	PPR-C Body Bathroom Concealed Shower Mixer Black Glass Mirror Three Way Valve Control Board	6	58x54x52	28,65 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
K 1500	PPR-C Body Bathroom Concealed Shower Mixer Chrome Mirror Three Way Valve Control Board	6	58x54x52	26,65 Kg
















Code	Definition	Quantity of Package	Package Size	Package Weight
G-D 2500	PPR-C Body With Thread Bathroom Concealed Shower Mixer White Glass Mirror Three Way Valve Control Board	6	58x54x52	29,15 Kg




Code	Definition	Quantity of Package	Package Size	Package Weight
S-D 2500	PPR-C Body With Thread Bathroom Concealed Shower Mixer Black Glass Mirror Three Way Valve Control Board	6	58x54x52	29,15 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
K-D 1500	PPR-C Body With Thread Bathroom Concealed Shower Mixer Chrome Mirror Three Way Valve Control Board	6	58x54x52	27,35 Kg









PPR-C BODY CONCEALED BATHROOM BATTERIES







Code	Definition	Quantity of Package	Package Size	Package Weight
G 2100	PPR-C Body Bathroom Concealed Shower Mixer Glass Mirror Three Way Valve	8	58x41x38	17,40 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
S 2100	PPR-C Body Bathroom Concealed Shower Mixer Black Glass Mirror Three Way Valve	8	58x41x38	17,40 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
G 2200	PPR-C Body Bathroom Concealed Shower Mixer Glass Mirror Three Way Valve	8	58x41x38	16,40 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
S 2200	PPR-C Body Bathroom Concealed Shower Mixer Black Glass Mirror Three Way Valve	8	58x41x38	16,40 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
BTK 030	PPR-C Body Bathroom Concealed Shower Mixer Glass Mirror Three Way Valve	8	58x41x38	14,90 Kg



PPR-C BODY CONCEALED BATHROOM BATTERIES WITH THREAD







Code	Definition	Quantity of Package	Package Size	Package Weight
G-D 2100	PPR-C Body With Thread Bathroom Concealed Shower Mixer Glass Mirror Three Way Valve	8	58x41x38	17,90 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
S-D 2100	PPR-C Body With Thread Bathroom Concealed Shower Mixer Black Glass Mirror Three Way Valve	8	58x41x38	17,90 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
G-D 2200	PPR-C Body With Thread Bathroom Concealed Shower Mixer Glass Mirror Three Way Valve	8	58x41x38	16,00 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
S-D 2200	PPR-C Body With Thread Bathroom Concealed Shower Mixer Glass Mirror Three Way Valve	8	58x41x38	16,90 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
BTK D030	PPR-C Body With Thread Bathroom Concealed Shower Mixer With Cardridge Three Way Valve	8	58x41x38	15,40 Kg





PPR-C BODY CONCEALED BATHROOM BATTERIES







Code	Definition	Quantity of Package	Package Size	Package Weight
BTK 031	PPR-C Body Bathroom Concealed Shower Mixer With Cardridge Three Way Valve	8	58x41x38	13,90 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
BTK 035	PPR-C Body Bathroom Concealed Shower Mixer Two Way Valve	8	58x41x38	13,25 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
BTK 036	PPR-C Body Bathroom Concealed Shower Mixer Two Way Valve	8	36x38x37	12,85 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
BTK 040	PPR-C Body Concealed Bathroom Shower Mixer	8	36x38x37	7,55 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
BTK 041	PPR-C Body Concealed Bathroom Shower Mixer	8	36x38x37	7,80 Kg









Code	Definition	Quantity of Package	Package Size	Package Weight
BTK D031	PPR-C Body With Thread Bathroom Concealed Shower Mixer With Cardridge Three Way Valve With Thread	8	58x41x38	14,40 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
BTK D035	PPR-C Body With Thread Bathroom Concealed Shower Mixer Two Way Valve With Thread	8	58x41x38	13,65 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
BTK D036	PPR-C Body With Thread Bathroom Concealed Shower Mixer Two Way Valve With Thread	8	36x38x37	13,35 Kg



Code	Definition	Quantity of Package	Package Size	Package Weight
BTK D040	PPR-C Body With Thread Bathroom Shower Mixer With Thread	8	36x38x37	7,85 Kg




Code	Definition	Quantity of Package	Package Size	Package Weight
BTK D041	PPR-C Body With Thread Bathroom Shower Mixer With Thread	8	36x38x37	8,10 Kg













- · Cartridge hot&cold
- · Brass body structure
- Brass 360° movable shower hose
- Brass hand shower (pressure adjustable)
- · High quality labor
- Easy usage
- Four different color options























- Exposed one flow line (hot or cold)
- Push on off button
- · Brass body structure
- Brass 360° movable shower hose
- Brass hand held shower hose (pressure adjustable)
- · High quality labor
- Easy usage
- Four different color options
























Black Glass

Spiral and Shut off not included





- · Horizontal structure provides easy usage
- European origin Tempered glass surface extra clear
- Inner ibox set has 25 years guaranteed PPR-C body structure
- · Concelead hot&cold
- · Brass hand held shower sprayer (Pressure adjustment)
- · Anti twisting hose
- · European origin ceramic cartridge

















Spiral and Shut off not included







- · Oval chrome surface
- Inner ibox set has 25 years guaranteed PPR-C body structure
- · Integrated hang shower exit
- Wall mounted bracket
- European origin ceramic cartridge
- · Low cost of installation, long-term useful

· Horizontal structure provides ease for use



- · Horizontal structure provides ease for use
- Square chrome surface
- Inner ibox set has 25 years guaranteed PPR-C body structure
- · Integrated hang shower exit
- Wall mounted bracket
- European origin ceramic cartridge
- · Low cost of installation, long-term useful













ARES - Chrome Hang Shut Off

Spiral and Shut off not included









SPECIFICATIONS

- · Owing to special desing, easy usage
- · Chrome surface
- Inner ibox set has 25 years guaranteed PPR-C body structure
- Integrated hang shower exit
- Wall mounted bracket
- European origin ceramic cartridge
- · Low cost of installation, long-term useful





BRASS SHUT OFF AND HOSES







Code	Definition
BTK 69000 Brass Shut Off Chrome	
BTK 69010	Brass Shut Off Gold
BTK 69030	Brass Shut Off White
BTK 69040	Brass Shut Off Black





SPIRAL (STAINLESS STEEL) - DOUBLE LAYER (IMPORTED)				
Code Definition Length Quantity of Packag				
BTK 6931	Stainless Steel Spiral Chrome	120 cm	24	
BTK 6931 G	Stainless Steel Spiral Gold	120 cm	24	



SPİRAL (BRASS - DOMESTIC PRODUCTION)			
Code Definition Length Quantity of Packag			
BTK 6910	Brass Spiral Chrome	120 cm	24
BTK 6910 G	Brass Spiral Gold	120 cm	24



SMART FLEX PVC 360°			
Code Definition Length Quantity of Packs			
BTK 69205	Pvc Smart Flex Chrome	120 cm	24
BTK 69215	Pvc Smart Flex Gold	120 cm	24






ADJUSTABLE SHOWER SYSTEMS













Code	Definition
REN	Sliding (75 cm 304 stainless)
AKS 6000	Smart Flex Hand Shower Set with Hose

Code	Definition
REN AKS 6010	Sliding (75 cm 304 stainless) Spiral Hand Shower Set with Hose









Code	Definition
GANJ	Sliding (75 cm 304 stainless)
AKS 6100	Smart Flex Hand Shower Set with Hose

Code	Definition
GANJ	Sliding (75 cm 304 stainless)
AKS 6110	Spiral Hand Shower Set with Hose



SHOWER SETS WITH JUNCTURE AND HAND SHOWER









Code	Definition	Quantity of Package
AKS 5200	Domestic Hand Shower	24

Code	Definition	Quantity of Package
AKS 5110	Shower Set With Juncture and Smart Flex Hose	24









Code	Definition	Quantity of Package
AKS 5100	Shower Set With Juncture and Spiral Hose	24







Code	Definition	Quantity of Package
AKS 4000	36 x 22 cm Rectangle Head Shower (220 x 360 mm)	24



Code	Definition	Quantity of Package
AKS 4010	25 x 25 cm Square Head Shower (250 x 250 mm)	24



Code	Definition	Quantity of Package
AKS 4020	Ø 25 Round Head Shower (250 mm)	24



Code	Definition	Quantity of Package
AKS 4030	New Round Slim Head Shower (220 mm)	24



Code	Definition	Quantity of Package
AKS 4040	New Radius Slim Head Shower (230 mm x 230 mm)	24








SPIRAL (STAINLESS STEEL) - DOUBLE LAYER (IMPORTED)			
Code	Definition	Length	Quantity of Package
BTK 6930	Stainless Steel Spiral Chrome	150 cm	24
BTK 6930 G	Stainless Steel Spiral Gold	150 cm	24

SMART FLEX

First time in Turkey %100 Made in Turkey, by TESKA



SMART FLEX PVC 360°			
Code	Definition	Length	Quantity of Package
BTK 6920	Pvc Smart Flex Chrome	160 cm	24
BTK 6921	Pvc Smart Flex Gold	160 cm	24






Gold








BATTERY INSTALLATION ACCESSORIES









Code	Definition	Quantity of Package
AKS 1000	Straight Square Spout	24






Code	Definition	Quantity of Package
AKS 1010	Straight Square Spout (220 mm)	24






Code	Definition	Package Size
AKS 1020	Straight Round Spout	24





Code	Definition	Quantity of Package
AKS 1030	Square Spout with Diverter	24





Code	Definition	Quantity of Package
AKS 1040	Round Spout with Diverter	24

BATTERY INSTALLATION ACCESSORIES










Code	Definition	Quantity of Package
AKS 2000	Square Bracket	24





Code	Definition	Quantity of Package
AKS 2010	Round Bracket	24



Code	Definition	Quantity of Package
AKS 2020	Square Bracket	24



Code	Definition	Quantity of Package
AKS 2030	Round Bracket	24



Code	Definition	Quantity of Package
AKS 3000	Ø 25 x 40 cm Round Shower Pipe	24



Code	Definition	Quantity of Package
AKS 3010	15 cm Ceiling Shower Pipe	24
AKS 3020	30 cm Ceiling Shower Pipe	24




















TK 020 - 25 mm (3/4) / **TK 021 -** 32 mm (1")

SPECIFICATIONS

- · Inner ibox set has 25 years guaranteed PP-R body structure
- · Low cost of installation, Long-term useful
- · Does not require any additional parts when combined PPR-C pipe
- · Changeable inner body structure
- Water flow between 5/9 seconds
- · Specially designed and patented height and body adjustment
- · First in Turkey For urinals usage feature
- Suitable for use in general places (school, hospital etc.)




















LUXURY BOXED BALL VALVE



TK 003 - 20 mm (1/2) **TK 004 -** 25 mm (3/4)

- · Lux decorative wiew
- Inner ibox set has 25 years guaranteed PP-R body structure
- · Low cost of installation, Long-term useful
- · Does not require any additional parts when combined PPR-C pipe
- · Changeable inner body structure
- · Breather plug inner valve version made of brass
- · Specially designed and patented height and body adjustment






TK 005 - 20 mm (1/2) / **TK 006 -** 25 mm (3/4)

SPECIFICATIONS

- Inner ibox set has 25 years guaranteed PP-R body structure
- · Low cost of installation, Long-term useful
- · Does not require any additional parts when combined PPR-C pipe
- · Changeable inner body structure
- · Specially designed and patented height and body adjustment





PATENTED












LUXURY SQUARE VALVE






TK 007 - 20 mm (1/2) / **TK 008 -** 25 mm (3/4)

- Inner ibox set has 25 years guaranteed PP-R body structure
- Low cost of installation, long-term useful
- Does not require any additional parts when combined PPR-C pipe
- · Changeable inner body structure
- · Specially designed and patented height and body adjustment







PATENTED












TK 009 - 20 mm (1/2) / **TK 010 -** 25 mm (3/4)

SPECIFICATIONS

- Inner ibox set has 25 years guaranteed PP-R body structure
- · Low cost of installation, Long-term useful
- Does not require any additional parts when combined PPR-C pipe
- · Changeable inner body structure
- · Specially designed and patented height and body adjustment










TK 011 - 20 mm (1/2) / **TK 012 -** 25 mm (3/4)

- Inner ibox set has 25 years guaranteed PP-R body structure
- Low cost of installation, Long-term useful
- Does not require any additional parts when combined PPR-C pipe
- Changeable inner body structure
- · Specially designed and patented height and body adjustment







PATENTED








TK 013 - 20 mm (1/2) / **TK 014 -** 25 mm (3/4)

SPECIFICATIONS

- Inner ibox set has 25 years guaranteed PP-R body structure
- · Low cost of installation, Long-term useful
- · Does not require any additional parts when combined PPR-C pipe
- · Changeable inner body structure
- · Specially designed and patented height and body adjustment



















EXTRA LUXURY





TK 015 - 20 mm (1/2) / **TK 016 -** 25 mm (3/4)

- Inner ibox set has 25 years guaranteed PP-R body structure
- Low cost of installation, Long-term useful
- · Does not require any additional parts when combined PPR-C pipe
- Changeable inner body structure
- · Specially designed and patented height and body adjustment









TK 001 - 20 mm (1/2) / **TK 002 -** 25 mm (3/4)

SPECIFICATIONS

- Inner ibox set has 25 years guaranteed PP-R body structure
- Full entegre changeable inner body structure
- In case of breakdown provides repair without damage to ceramic and wall
- · Low cost of installation, Long-term useful
- Does not require any additional parts when combined PPR-C pipe
- Alaturka toilets, building entrances, in the apartment suitable usage
- Specially designed and patented height and body adjustment





PATENTED













CERAMIC HEAD

Switch on-off Valve Cartridges



40 mm Ceramic Disc Cartridge





CARTRIDGE

Three Way Out Diverter



Two Way Out Diverter





PIPE WITH THREAD&THRUST

12 Cm Special Pipe and Thrust

Notes	











